

Our Agricultural  
Heating Solutions



# OAU Series

Agricultural Wash Down Unit Heater



Built to meet the highest installation standards for agricultural buildings, this is the first wash down farm duty unit heater that is certified and suitable for use in Category 1 and 2 areas per the Canadian Electrical Code.

- Robust, 18-gauge satin coat steel construction.
- High-quality built-in thermostat with stainless steel bulb and capillary.
- Built-in 40A disconnect switch.
- Fan switch control that permits operation as a fan.
- Durable low-density elements with nickel plating for corrosion resistance.
- GX model featuring high-limit temperature control with manual reset.
- LT model featuring high-limit temperature control with automatic reset.

## Certification

- CSA C22.2 46, UL2021.
- Corrosion requirements CSA C22.2 94.
- Hose down requirements CSA C22.2 94 Type 4X.
- Manitoba Hydro approved (GX model only).

## Ideal for these applications

- Agricultural buildings
- Garage
- Barn
- Dairy
- Pigsty
- Cowshed
- Henhouse
- Stable
- Kennel
- Greenhouse

And many other possibilities

## Two models are available

Watts	Volts (ph)	Product #	BTU/hr	cfm	Temperature Rise		Motor	
					°C	°F	HP	rpm
5000/3750	240/208 (1)	OAU05000BL-GX <sup>1</sup>	17060/12795	300	30	53	1/4	1050
5000/3750	240/208 (1)	OAU05000BL-LT <sup>2</sup>	17060/12795	300	30	53	1/4	1050

<sup>1</sup> GX model: Unit with manual reset high-limit temperature control, Manitoba Hydro approved.

<sup>2</sup> LT model: Unit with automatic reset high-limit temperature control.

Standard color is white



# OSR Series

Self-Regulating ELSR-MA-BF Cable



Pipe tracing for freeze protection  
of potable water lines

**eltherm**<sup>®</sup>  
innovations in heat tracing




Eltherm® ELSR-MA-BF self-regulating heating cables are designed to provide in-pipe freeze protection of potable domestic water supply systems. The unique, small diameter cable design ensures a safe and reliable installation inside the water supply pipe. The cable outer jacket material is NSF approved food-safe and meets all applicable CSA standards for use in fresh water systems. Installation is simple and cost-effective and requires minimal modifications to existing pipe works.

## Ideal for these applications

- Pipe tracing for freeze protection (i.e. liquid transfers in cold weather).
- Potable water systems (pipes in non-heated building spaces).
- Outdoor water supply and drinking valves for animals.
- Greenhouse water supply systems.
- Freeze prevention in floor drains (Farm equipment cleaning area).

## And many other possibilities

A potable water heating system ensures and maintains running water where natural freeze protection cannot be achieved, above or below ground. Heat tracing of potable water supply systems during extreme cold weather periods ensures that piping is protected and water supply is maintained throughout the year.




Other cable models are available with a complete range of accessories and options. Please contact your Ouellet representative for more details.



# OWS Series

Heating Cable for Snow Melting



OWS-T  
on Mat

- Compatible with multiple surface types (concrete, asphalt, paving).
- Safe, ideal for high-traffic areas, reducing ice buildup and the risk of falls.
- Eco-friendly, limiting the need for salt or sand.
- 50W/sq. ft.
- 10-year warranty on the heating cable.

## Ideal for these applications

- Boarding and delivery platforms for animals
- Outdoor washing area for animal transport trucks
- Outdoor slabs around buildings

**And many other possibilities**



180, 3<sup>e</sup> Avenue, L'Islet (Québec)  
G0R 2C0 CANADA  
Phone: 1 800 463-7043 • 418 247-3947  
Fax: 1 800 662-7801 • 418 247-7801  
info@ouellet.com • www.ouellet.com



Ouellet Canada Inc. reserves the right to make any changes to this sheet or its products at any time without notice.